

	Type	L #	Hits	Search Text	DBs
1	IS&R	L1	2	((("5600460") or ("6469769")).PN.	US-PGPUB; USPAT; EPO; JPO
2	BRS	L2	480	349/54 349/192	US-PGPUB; USPAT; EPO; JPO
3	BRS	L3	170	contact ADJ hole and 2	US-PGPUB; USPAT; EPO; JPO
4	BRS	L4	117	3 and @ad<="20010328"	US-PGPUB; USPAT; EPO; JPO
5	BRS	L5	305843	(line wir\$3) with (repair\$3 correct\$3 fix\$3)	US-PGPUB; USPAT; EPO; JPO
6	BRS	L6	3184	contact ADJ hole and 5	US-PGPUB; USPAT; EPO; JPO
7	BRS	L7	175458	liquid ADJ crystal ADJ display	US-PGPUB; USPAT; EPO; JPO
8	BRS	L8	1055	6 and 7	US-PGPUB; USPAT; EPO; JPO
9	BRS	L9	353	8 and @ad<="20010328"	US-PGPUB; USPAT; EPO; JPO
10	BRS	L10	315	9 not (1 4)	US-PGPUB; USPAT; EPO; JPO
11	BRS	L11	687	(gate drain data scanning) ADJ (line wir\$3) same ( (repair\$3 correct\$3 fix\$3) and contact ADJ hole)	US-PGPUB; USPAT; EPO; JPO

	Type	L #	Hits	Search Text	DBs
12	BRS	L12	228	11 and @ad<="20010328"	US-PGPUB; USPAT; EPO; JPO
13	BRS	L13	127	12 not (1 4 10)	US-PGPUB; USPAT; EPO; JPO
14	BRS	L14	20	(broken break\$3 disconnect\$3) ADJ (gate drain data scanning) ADJ (line wir\$3) same (contact ADJ hole)	US-PGPUB; USPAT; EPO; JPO
15	BRS	L15	0	12 not (1 4 10 13)	US-PGPUB; USPAT; EPO; JPO
16	BRS	L16	703	(gate drain data scanning) ADJ (line wir\$3) same ((broken break\$3 disconnect\$3) and contact ADJ hole)	US-PGPUB; USPAT; EPO; JPO
17	BRS	L17	602	16 not (1 4 10 13)	US-PGPUB; USPAT; EPO; JPO
18	BRS	L18	181	17 and @ad<="20010328"	US-PGPUB; USPAT; EPO; JPO
19	BRS	L19	201	(broken break\$3 disconnect\$3) ADJ ((gate drain data scan\$4) ADJ (line wir\$3) wir\$3 ADJ electrode) and (contact ADJ hole)	US-PGPUB; USPAT; EPO; JPO
20	BRS	L20	131	19 not (1 4 10 13 18)	US-PGPUB; USPAT; EPO; JPO

	Type	L #	Hits	Search Text	DBs
21	BRS	L21	19	20 and @ad<="20010328"	US-PGPUB; USPAT; EPO; JPO
22	BRS	L22	201	(broken break\$3 disconnect\$3) ADJ ((gate drain data scan\$4) ADJ (line wir\$3) wir\$3 ADJ electrode) same (broken break\$3 disconnect\$3) and contact ADJ hole	US-PGPUB; USPAT; EPO; JPO
23	BRS	L23	1053	((gate drain data scan\$4) ADJ (line wir\$3) wir\$3 ADJ electrode) same (broken break\$3 disconnect\$3) and contact ADJ hole	US-PGPUB; USPAT; EPO; JPO
24	BRS	L24	732	23 not (1 4 10 13 18 21)	US-PGPUB; USPAT; EPO; JPO
25	BRS	L25	148	24 and @ad<="20010328"	US-PGPUB; USPAT; EPO; JPO